

## EMILY WAX 6.1

Concentrated wax polish

REV. 8/01-06-2018



### AVAILABLE FORMAT

Item	Format
180715	L 10
180658	L 26

### USE

For manual washing: Dilute around 25-30 grams of product in 10 L of water in a simple watering can, then slowly pour the solution onto the bodywork of the car. Wait for the water to drain off, then dry the few remaining droplets.

For tunnels and in-bay automatics: With electronic or mechanical dosing pumps: use EMILY WAX 6.1 undiluted and adjust the intake rate to 17-25 ml for each washing cycle. With Venturi suction: dilute EMILY WAX 6.1 to 5.4% (540 ml of wax in 10 L of water) and adjust the intake rate to 370-530 ml for each washing cycle.

In self-service systems: Dose EMILY WAX 6.1 by adjusting the device until optimal drying is obtained (12-15 grams of product are generally sufficient for each drying cycle). The right dosage depends on the hardness of the water and the weather conditions. Increase the concentration of the product in winter.

### PHYSICAL-CHEMICAL CHARACTERISTICS

Chemical classification	Cationic microemulsion
Physical state	Liquid
Solubility in water	Microemulsifiable
Color	Dark Green
pH	5 ± 1
Density	0,955 ± 0,020 g/ml

Refer to the safety data sheet for hazard information and precautions.

### USAGE

Its composition ensures a high water-repellent effect and easy run-off on the surface, facilitating the drying phase. EMILY WAX 6.1 also revives the treated areas without leaving annoying residues or bloom on the bodywork. The product is used in manual drying, in automatic car washes (tunnels/in-bay automatics) and self-service car washes.

