

Car Wash | Single-Component Pre Washes



Scented foaming pre-wash product

REV. 0/12-06-2018



AVAILABLE FORMAT		
Item	Format	
181153	kg 10	
181135	kg 25	
181154	kg 1201	

USE

In self-service car washes: set the intake rate to approximately 45-70 ml of product for each washing cycle. Using a pressurised tank: dilute to between 2 and 3% for external washing of vehicles in general. In car washes with brushing rollers: set the intake rate to approximately 35-50 ml of product for each washing cycle. To clean wheel rims: dilute with 1 part of product to 3 parts of water.

CAUTION: Do not allow the product to dry on the surfaces before rinsing it off. In winter, increase the concentration. Avoid using in the sun and on hot surfaces. Given the different types of alloy wheel rims available on the market, it is advisable to test the compatibility of the product on a small, less visible area. Do not use to wash bicycles and motorcycles.

PHYSICAL-CHEMICAL CHARACTERISTICS

Chemical classification	Anionic/non-ionic solution
Physical state	Liquid
Solubility in water	In every ratio
Color	Green
рН	13 ± 1
Density	1,151 ± 0,020 g/ml

Refer to the safety data sheet for hazard information and precautions.

USAGE

The product has good foaming power and is extremely easy to rinse. Its main application is in self-service car washes. It releases a pleasant floral fragrance during use. Also ideal for washing by hand and tunnels/in-bay automatics.











Page 1 of 1

The above information is based on experience, tests and current documentation. In the event of improper use of the product and non-compliance with the necessary precautions, the information provided does not constitute a guarantee and does not entail any legal liability.